


Contact person: Mr. Shine Gu	Contact person: Steve Gu	Contact person: William Lu
MOBILE: 0086-13401558444	MOBILE: 0086-13861056568	MOBILE: 0086-18861411873
E-mail: shine@yfpress.com	E-mail: steve@yfpress.com	E-mail: yuanfong02@yahoo.com
Skype: luotong01		

TEL: 0086-519-88552628	Http://www.yfpress.com	Http://www.beccor.net
Http://www.czluotong.com	ADD: ChangZhou City, JiangSu Province, China.	



2022版

CHINA·CHANGZHOU



ABOUT US

Why they all select "YuanFong" press

Based on its Human resource and know-how,YU-ANFONG has delivered about thousands of short cycle laminating lines and other press to customers worldwide:

Ultrastrong closed frames

Intelligent electrical control

Hydraulic system with larger sizes
cartridge valves

Perfect detail processing

Low failure rate

Up-to-date scientific management

Meticulous after-sale service

Changzhou Luotong Machinery Co.,Ltd is specialized in R&D and producing hydraulic presses .After years of development, Luotong has owned self-developed brand---"YUANFONG"hot press. The annual amounted production of 300 sets each year helps Luotong get the leading domestic level in China.

"YUANFONG" hot presses are widely used in wood processing ,building material ,decoration and other industries ,which could be applied to laminating melamine-impregnated paper in one side or both sides of particle board(chipboard),MDF,blockboard (ecology board)and plywood to produce furniture board,door skin ,or other faced ,as well as it is suitable for laminating decorative paper,wearable paper and balance paper in both sides of HDF board to produce laminate flooring .End product size ranges:4X8ft,4X9ft,5X8ft,6X8ft,7X9ft,6X12ft and other specs.

As a result of strong technical forces , superior process equipment ,classy production environment and up-to-date scientific management model,we keep on providing customers with better products .As a result of brought up high quality professional marketing team and established a large sales network at home and abroad ,we keep on providing the full and the better service to customers.

Your decision on "YUANFONG" hot press is the promise for mature technology and high value added products.

FILM FACED PLYWOOD PRESS MACHINE



Capacity: 80 – 150 sheets/h Opening No: 10–15 layers

It is suitable for making melamine faced plywood and Phenolic building template.

Making high-gloss melamine faced MDF.

It is suitable for laminating all kinds of decorative material on one side of MDF , Particle Board, plywood, blockboard.

It is suitable for making plywood and for board drying.



Capacity: 60 – 80 sheets/h Opening No: 5–6 layers

MULTI DAYLIGHT HPL LAMINATE LINE



SINGLE DAYLIGHT
HPL/COMPACT LAMINATE PRESS



Technical parameters

Model	Total pressure of the width(kN)	Diamter of plunger cylinder(mm)	Num of plunger cylinder(pc)	Width size
HKT-3200	32000	Φ450	8	4x8, 4x9, 4x10, 5x8, 6x8, 7x9
HKT-3600	36000	Φ400	12	4x10, 6x8, 6x9, 7x9
HKT-4200	42000	Φ420	12	7x9, 6x10, 6x12, 4x16
HKT-5600	56000	Φ480	12	
HKT-7000	70000	Φ600	15	10x10
HKT-10000	100000	Φ600	15	10x15

Technical parameters

Model	Total pressure of the width(kN)	Diamter of plunger cylinder(mm)	Num of plunger cylinder(pc)	Width size	Num of layers	Distance between layers(mm)
YXD-150	1500	Φ140	4	Depends on customers	3-15	80-200
YXD-200	2000	Φ160	4			
YXD-300	3000	Φ200	4			
YXD-600	6000	Φ200	8			
YXD-800	8000	Φ220	8			100-150
YXD-1000	10000	Φ250	8			